



D-Flector Stone Guards® Installation Guide

CVR031-A

Released Date – Dec 2023

D-Flector Stone Guards: Best safety companion for the road untraveled.

You have acquired a D-Flector accessories , **Congratulations.**

D-Flector stone guard provided unparallel protection to your RV, adjustable fittings, remain durable in harshest outback conditions.

Important:

1. Refer to your fitting instructions to ensure that product is installed correctly.
2. Check the contents of kit before commencing fitment and report any discrepancies.
3. Keep checking D-Flector website to ensure you have latest revisions of these instructions.

Fit Time : 5 mins



Item	Qty	Part No	Description
01	1	CVR031-A	Cover Center Infill - Caravan Center Cut out
02	2	ENC005-A	Endcap – Square 25 with Reel



PERIODICALLY CHECK TO ENSURE THAT ALL FASTENERS ARE TIGHT AND ALL STRUCTUAL COMPONENTS ARE SOUND.

Maxwell & Higgs Pty Ltd, AUSTRALIA
 6/94-102 Keys Rd,
 Moorabbin, Vic, 3189

support@d-flector.com.au
www.d-flector.com.au

Step 1

Removed current **End caps** and Installed plastic **End caps with Reel (02)** at both the ends.



Note: Endcap with Reel is recommended for single operation usage.

Step 2


Put the **Cover (01)** over the Centre cut out area of Stone guard, as shown in below image. Part label should be visible from the inside.



Front Image




Rear (inside) image



Part Label

Step 3




Fix J-retainers by sliding into each other.



Conceptual J Retainers
Assembly Position

Step 4


Hook the Both bungee cords to **End Cap with Reel (02)**.



Conceptual Bungee
attachment

Step 5

When **Center Infill Cover CVR031** is not in use, then it can be store inside **Caravan Stone Guard Center Cut out DSG003**, by opening (or detaching) Velcro fastener. See below images showing 3 steps process.



Maxwell and Higgs Pty Ltd provides a three-year warranty from the date of purchase against defects in materials and workmanship. If the product is found to be defective, the product will be repaired or replaced at our discretion. This warranty excludes product alterations, misuse, or improper installation, and does not cover incidental or consequential damages. For warranty service, return the product with proof of purchase to the address listed in this manual.